IAR Levels of care and services in EMPHN Catchment at a glance (not exhaustive)

IAR-DST Level 1: Very low Intensity Services Example of services in the catchment: - Helplines (1800 Respect, Lifeline) - Online Apps (Calm Harm, Daisy App, 1800 Respect) - Anxiety Recovery Centre Victoria - Beyond Blue (Coronavirus Mental Wellbeing Support Service, helpline and webchat; online forum) - healthAbility after-hours	IAR-DST Level 2: Low Intensity Services Example of services in the catchment: - Lifeline - Better Access - Partners in Wellbeing Counselling - Brother to Brother - Community Mental Health and Wellbeing Hub - healthAbility - Mullum Mullum Indigenous Gathering Place - NDIS LAC - Neami National	Mod Examp - Better - Partn Couns - Menta Care - LIFT - The M - Neam Psych Servic - Steps - Acces Comn - Anglio	Al Health Stepped Aindful Hub hi & Wellways hosocial Support ce Mental Health hunity care Alcohol and	High Inf Examp the - Neami Psycho Service - Steps N - Mental Care - LIFT - Commu Service - Condui - Epsych	Aental Health Health Stepped unity Health s t Health	Acut M Exam th - Emer - Austi East F Servio - Easte Psych Servio - Mona Psych Servio - North Health	rn Health niatric Triage ce sh Health niatric Triage
	periencing mild symptoms	- Condu - Epsyc - Health - health menta suppo - Outco	h to Health Ability after-hours al health nurse ome Health no/low levels of distr e.			Evidenc	e Service te based digital ntions and other f self-help
Level of Care 2 - Low Intensity (1.3 million people) Typically minimal or no risk factors, mild symptoms/low levels of distress and where present, this is likely to be in response to a stressful environment. Symptoms have typically been present for a short period of time (less than 6 months but this may vary). Generally functioning well but may have problems with motivation or engagement. Moderate or better recovery from previous treatment.						Services that can be accessed quickly and easily and include group work, phone and online interventions and involve few or short sessions	
Level of Care 3 - Moderate Likely mild to moderate sym Symptoms have typically be complexity on risk, function Also suitable for people exp associated with Risk, Functi	een present for 6 months or ing or co-existing condition eriencing severe symptoms	iteria foi more (b s but no with mi	ut this may vary). Li t at very severe leve	kely re ls. ir	Ioderate intensit tructured and easonably freque nterventions (eg. Isychological nterventions).	ent	
Level of Care 4 - High Inter A person requiring this leve with significant symptoms a A person with a severe pres problems associated with R	l of care usually has a diagno and/or significant problems entation is likely to be exper	with fur iencing	nctioning. moderate or higher	interve multi-c psycho psychia	s of intensive ntion, typically ir disciplinary supp ological intervent atric intervention ordination	ort, ions,	
A person requiring this leve symptoms and problems in multiple or most everyday r	functioning independently a	ant across	Specialist assessm intensive intervent (typically state/ter mental health serv	ions ritory			

- Significant risk of suicide; self-harm, self-neglect or vulnerability.
- Significant risk of harm to others
- A high level of distress with potential for debilitating consequence.

Specialist assessment and intensive interventions (typically state/territory mental health services) with involvement from a range of mental health professionals